SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

Notes

- 1. This Section does not cover:
- (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
- (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
- (c) Headgear or parts thereof of heading 65.06 or 65.07;
- (d) Umbrella frames or other articles of heading 66.03;
- (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
- (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
- (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
- (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
- (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
- (k) Articles of Chapter 94 (for example, furniture, mattress supports, luminaires and lighting fittings, illuminated signs, prefabricated buildings);
- (I) Articles of Chapter 95 (for example, toys, games, sports requisites);
- (m) Hand sieves, buttons, pens, pencil-holders, pen nibs, monopods, bipods, tripods and similar articles or other articles of Chapter 96 (miscellaneous manufactured articles); or
- (n) Articles of Chapter 97 (for example, works of art).
- 2. Throughout the Nomenclature, the expression "parts of general use" means:
- (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal, other than articles specially designed for use exclusively in implants in medical, surgical, dental or veterinary sciences (heading 90.21);
- (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
- (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.
- In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

- 3. Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, niobium (columbium), rhenium and thallium.
- 4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).
- 5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
- (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;

- (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
- (c) In this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- 6. Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the General Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
- (c) A cermet of heading 81.13 is regarded as a single base metal.
- 8. In this Section, the following expressions have the meanings hereby assigned to them:
- (a) Waste and scrap
- (i) All metal waste and scrap;
- (ii) Metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.
- (b) Powders

Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.

- 9. For the purposes of Chapters 74 to 76 and 78 to 81, the following expressions have the meanings hereby assigned to them:
- (a) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular of polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire-bars and billets of Chapter 74 with their ends tapered of otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire-rod) or tubes, are however to be taken to be unwrought copper of heading 74.03. This provision applies *mutatis mutandis* to the products of Chapter 81.

(b) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular of polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width.

(d) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width;
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings for plates, sheets, strip, and foil apply, *inter alia*, to plates, sheets, strip, and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) Tubes and pipes

Hollow products, coiled or not, which have a uniform solid cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded cone-shaped or fitted with flanges, collars or rings.

Chapter 72

Iron and steel

Notes

- 1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:
- (a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements.
- (b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon

- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.
- (d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminum
- 0.0008% or more of boron
- 0.3% or more of chromium
- 0.3% or more of cobalt
- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more of nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium
- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.
- (g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel).

These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.
- (n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.

3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes

- 1. In this Chapter the following expressions have the meanings hereby assigned to them:
- (a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.
- (b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium
- more than 0.05% of bismuth.
- (c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage. For the application of this rule the unspecified "other elements" referred to in Capter Note 1 (c) must each exceed 10% by weight.

										lmį	ort dutie	s / Tax	(%)									
		ıtity						Δ.	CFTA	Ał	(FTA									CP	ГРР	
HS CODE	DESCRIPTION	Unit of quantity	WTO	Ordinary Tax	АПСА	AHKFTA	VCFTA	Tax Rate	Countries	Tax Rate	Countries ineligible	VKFTA	AJCEP	VJEPA	AANZFTA	AIFTA	EVFTA	UKVFTA	VN – EAEUFTA	Ш	IV	VAT (%)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
	SUB – CHAPTER I PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM																					
72.01	Pig iron and spiegeleisen in pigs, blocks or other primary forms																					
7201.10.00	- Non-alloy pig iron containing by weight 0.5% or less of phosphorus	kg	5	7.5	0	0	0	0		0		0	0	0	0	0	0	0	0	0	0	10
7201.20.00	- Non-alloy pig iron containing by weight more than 0.5% of phosphorus	kg	5	7.5	0	0	0	0		0		0	0	0	0	0	0	0	0	0	0	10
7201.50.00	- Alloy pig iron; spiegeleisen	kg	5	7.5	0	0	0	0		0		0	0	0	0	0	0	0	0	0	0	10
72.02	Ferro-alloys																					
	- Ferro-manganese:																					
7202.11.00	Containing by weight more than 2% of carbon	kg	5	7.5	0	0	0	0		0		0	0	0	0	0	0,8	0,8	0	0	0	10
7202.19.00	Other	kg	5	7.5	0	0	0	0		0		0	0	0	0	0	0,8	0,8	0	0	0	10

	- Ferro-silicon:																			
7202.21.00	Containing by weight more than 55% of silicon	kg	5	7.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.29.00	Other	kg	5	7.5	0	2	0	0	0	0	0	0	0	0	0,8	0,8	0	0	0	10
7202.30.00	- Ferro-silicon-manganese	kg	5	7.5	0	0	0	0	0	0	0	0	0	0	0,8	0,8	0	0	0	10
	- Ferro-chromium:																			
7202.41.00	Containing by weight more than 4% of carbon	kg	5	7.5	0	2	0	0	0	0	0	0	0	*	0,8	0,8	0	0	0	10
7202.49.00	Other	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.50.00	- Ferro-silico-chromium	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.60.00	- Ferro-nickel	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.70.00	- Ferro-molybdenum	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.80.00	- Ferro-tungsten and ferro- silico-tungsten	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
	- Other																			
7202.91.00	Ferro-titanium and ferro- silico-titanium	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.92.00	Ferro-vanadium	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.93.00	Ferro-niobium	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7202.99.00	Other	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
72.03	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms																			
7203.10.00	- Ferrous products obtained by direct reduction of iron ore	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7203.90.00	- Other	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10

72.04	Ferrous waste and scrap; remelting scrap ingots of iron or steel																			
7204.10.00	- Waste and scrap of cast iron	kg	3	4.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
	- Waste and scrap of alloy steel:																			
7204.21.00	Of stainless steel	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7204.29.00	Other	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7204.30.00	- Waste and scrap of tinned iron or steel	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
	- Other waste and scrap:																			
7204.41.00	Turnings, shavings, chips, milling waste, sawdust, fillings, trimmings and stampings, whether or not in bundles	kg	3	4.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7204.49.00	Other	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7204.50.00	- Remelting scrap ingots	kg	3	4.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
72.05	Granules and powders, of pig iron, spiegeleisen, iron or steel																			
7205.10.00	- Granules	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
	- Powders:																			
7205.21.00	Of alloy steel	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7205.29.00	Other	kg	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
	SUB – CHAPTER II IRON AND NON-ALLOY STEEL																			

72.06	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03)																					
7206.10	- Ingots:																					
7206.10.10	Containing by weight more than 0.6% of carbon	kg	1	1.5	0	0	0	0		0		0	0	0	0	0	0	0	0	0	0	10
7206.10.90	Other	kg	1	1.5	0	0	0	0		0		0	0	0	0	0	0	0	0	0	0	10
7206.90.00	- Other	kg	1	1.5	0	0	0	0		0		0	0	0	0	0	0	0	0	0	0	10
72.07	Semi-finished products of iron or non-alloy steel.																					
	- Containing by weight less than 0.25% of carbon:																					
7207.11.00	- Of rectangular (including square) cross section, the width measuring less than twice the thickness	kg	10	15	0	*	*	50		5		5	*	5	*	*	3,8	3,8	0,6	3,1	2,5	10
7207.12	Other, of rectangular (other than square) cross section:																					
7207.12.10	Slabs	kg	5	7.5	0	0	*	0	MY	5		0	0	0	3	*	0	0	0	0	0	10
7207.12.90	Other	kg	10	15	0	7	*	0	MY	5		5	0	0	5	*	3,8	3,8	0,6	3,1	2,5	10
7207.19.00	Other	kg	10	15	0	4	*	0	MY, PH	0		0	0	0	5	*	3,8	3,8	*	3,1	2,5	10
7207.20	- Containing by weight 0.25% or more of carbon:																					
	Containing by weight less than 0.6%:																					
7207.20.10	Slabs	kg	5	7.5	0	0	*	5		0	ID	0	0	0	3	*	0	0	0	0	0	10
	Other:																					
7207.20.21	Blocks roughly shaped by forging; sheet bars	kg	5	7.5	0	0	*	5		0		0	0	0	3	*	0	0	0	0	0	10
7207.20.29	Other	kg	10	15	0	*	*	50		5		5	0	0	*	*	3,8	3,8	0,6	3,1	2,5	10
	Other:																					
7207.20.91	Slabs	kg	5	7.5	0	0	*	5		0	ID	0	0	0	3	*	0	0	0	0	0	10
	Other:																					
7207.20.92	Blocks roughly shaped	kg	5	7.5	0	0	*	5		0		0	0	0	3	*	0	0	0	0	0	10

	by forging; sheet bars																					
7207.20.99	Other	kg	10	15	0	*	*	50		5		5	0	0	5	*	3,8	3,8	0,6	3,1	2,5	10
72.08	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.																					
7208.10.00	- In coils, not further worked than hot-rolled, with patterns in relief	kg	0	5	0	0	0	0	MY, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
	- Other, in coils, not further worked than hot-rolled, pickled:																					
7208.25.00	Of a thickness of 4.75 mm or more	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM	0	*	0	0	*	0	0	0	0	0	10
7208.26.00	Of a thickness of 3 mm or more but less than 4.75 mm	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM	0	*	0	0	*	0	0	0	0	0	10
7208.27	Of a thickness of less than 3 mm:																					
	Of a thickness of less than 2 mm:																					
8207.27.11	Containing by weight 0.6% or more of carbon	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
8207.27.19	Other	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
	Other																					
7208.27.91	Containing by weight 0.6% or more of carbon	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.27.99	Other	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
	- Other, in coils, not further worked than hot-rolled:																					
7208.36.00	Of a thickness exceeding 10 mm	kg	0	5	0	0	0	0	MY, PH, TH	5		0	*	0	5	*	0	0	0	0	0	10

	1																					
7208.37.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	0	5	0	0	0	0	MY, PH, TH	5		0	*	0	0	*	0	0	0	0	0	10
7208.38.00	Of a thickness of 3 mm or more but less than 4.75 mm	kg	0	5	0	0	0	0	MY, PH, TH	5		0	*	0	0	*	0	0	0	0	0	10
7208.39	Of a thickness of less than 3 mm:																					
7208.39.10	Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.39.20	Containing by weight less than 0.6% of carbon and of a thickness more than of 0.17 mm but not exceeding 1.5mm	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.39.30	Containing by weight 0.6% or more of carbon and of a thickness not exceeding 1.5mm	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.39.40	Of a thickness more than of 2 mm, maximum tensile strength of 550 Mpa and of a width not exceeding 1,250 mm	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.39.90	Other	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.40.00	- Not in coils, not further worked than hot-rolled, with patterns in relief	kg	0	5	0	0	0	0	MY, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
	- Other not in coils, not further worked than hot-rolled:																					
7208.51.00	Of a thickness exceeding 10 mm	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.52.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM	0	*	0	0	*	0	0	0	0	0	10
7208.53.00	Of a thickness of 3 mm or more but less than 4.75 mm	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM,	0	*	0	0	*	0	0	0	0	0	10

											PH											
7208.54	Of a thickness of less than 3 mm:																					
7208.54.10	Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	kg	0	5	0	0	0	0	MY, PH, TH	5		0	*	*	5	*	0	0	0	0	0	10
7208.54.90	Other	kg	0	5	0	0	0	0	MY, PH, TH	5		0	*	*	5	*	0	0	0	0	0	10
7208.90	- Other																					
7208.90.10	Corrugated	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.90.20	Other, containing by weight less than 0.6% carbon and of a thickness of 0.17 mm or less	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
7208.90.90	Other	kg	0	5	0	0	0	0	MY, PH, TH	0	ID, MM, PH	0	*	0	0	*	0	0	0	0	0	10
72.09	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated																					
	- In coils, not further worked than cold-rolled (cold-reduced):																					
7209.15.00	Of a thickness of 3 mm or more	kg	7	10.5	0	*	6	0	MY, TH	5		5	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.16	Of a thickness exceeding 1 mm but less than 3 mm:																					
7209.16.10	Of a width not exceeding 1,205mm	kg	7	10.5	0	*	6	5		*		7	*	0	*	*	3,8	3,8	0,6	3,1	2,5	10
7209.16.90	Other	kg	7	10.5	0	*	6	5		*		7	*	0	*	*	3,8	3,8	0,6	3,1	2,5	10
7209.17	Of a thickness of 0.5 mm or more but not exceeding 1 mm																					
7209.17.10	Of a width not exceeding 1.205mm	kg	7	10.5	0	*	6	5		*		7	*	0	7	*	3,8	3,8	0,6	3,1	2,5	10

7209.17.90	Other	kg	7	10.5	0	*	6	5		*	7	*	0	7	*	3,8	3,8	0,6	3,1	2,5	10
7209.18	Of a thickness of less than 0.5 mm:																				
7209.18.10	Tin-mill blackplate	kg	0	5	0	0	3	5		*	0	*	0	5	3,5	0	0	0	0	0	10
	Other:																				
7209.18.91	Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	kg	7	10.5	0	*	*	5		*	7	*	0	5	5	3,8	3,8	0	3,1	2,5	10
7209.18.99	Other	kg	7	10.5	0	*	*	5		*	7	*	0	5	5	3,8	3,8	0	3,1	2,5	10
	- Not in coils, not further worked than cold-rolled (cold-reduced):																				
7209.25.00	Of a thickness of 3 mm or more	kg	7	10.5	0	*	6	0	MY, PH, TH	5,6	5,6	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.26	Of a thickness exceeding 1 mm but less than 3 mm:																				
7209.26.10	Of a width not exceeding 1,205mm	kg	7	10.5	0	*	6	5		5,6	5,6	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.26.90	Other	kg	7	10.5	0	*	6	5		5,6	5,6	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.27	Of a thickness of 0.5 mm or more but not exceeding 1 mm:																				
7209.27.10	Of a width not exceeding 1,205mm	kg	7	10.5	0	*	6	5		5,6	5,6	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.27.90	Other	kg	7	10.5	0	*	6	5		5,6	5,6	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.28	Of a thickness of less than 0.5 mm:																			2,5	
7209.28.10	Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	kg	7	10.5	0	*	6	5		5,6	5,6	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.28.90	Other	kg	7	10.5	0	*	6	5		5,6	5,6	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.90	- Other																				
7209.90.10	Corrugated	kg	7	10.5	0	*	6	0	MY, PH, TH	5	5	*	*	*	*	3,8	3,8	0	3,1	2,5	10
7209.90.90	Other	kg	7	10.5	0	*	6	0	MY, PH, TH	5	5	*	*	*	*	3,8	3,8	0	3,1	2,5	10

72.10	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated																					
	- Plated or coated with tin:																					
7210.11	Of a thickness of 0.5 mm or more																					
7210.11.10	Containing by weight 0.6% or more of carbon	kg	5	7.5	0	2	*	0	ID, MY, PH	5,6		5	0	0	5	*	0,8	0,8	*	2,2	1,8	10
7210.11.90	Other	kg	5	7.5	0	2	*	0	ID, MY, PH	5,6		5	0	0	5	*	0,8	0,8	*	2,2	1,8	10
7210.12	Of a thickness of less than 0.5 mm																					
7210.12.10	Containing by weight 0.6% or more of carbon	kg	5	7.5	0	*	6	0	ID, MY, PH, TH	*		5	*	*	7	*	0,8	0,8	0	2,2	1,8	10
7210.12.90	Other	kg	5	7.5	0	*	6	0	ID, MY, PH, TH	*		5	*	*	7	*	0,8	0,8	0	2,2	1,8	10
7210.20	- Plated or coated with lead, including terne-plate:																					
7210.20.10	Containing by weight less than 0.6% of carbon and of a thickness of 1.5 mm or less	kg	0	5	0	0	0	0	MY	0	ID, MM	0	0	0	0	0	0	0	0	0	0	10
7210.20.90	Other	kg	0	5	0	0	0	0	MY	0	ID, MM	0	0	0	0	0	0	0	0	0	0	10
7210.30	- Electrolytically plated or coated with zinc:																					
	Containing by weight less than 0.6% of carbon																					
7210.30.11	Of a thickness not exceeding 1.2mm	kg	10	15	0	10	*	0	MY, TH	8		8	0	0	5	5	5,4	5,4	*	4,5	3,6	10
7210.30.12	Of a thickness exceeding 1.2mm but not exceeding 1.5mm	kg	5	7.5	0	*	5	0	MY, TH	5		5	*	0	5	5	0,8	0,8	*	2,2	1,8	10
7210.30.19	Other	kg	5	7.5	0	*	5	0	MY, TH	5		0	*	0	5	5	0,8	0,8	*	2,2	1,8	10
	Other																					
7210.30.91	Of a thickness not exceeding 1.2 mmm	kg	10	15	0	10	*	0	MY, TH	8		8	0	0	5	5	5,4	5,4	*	4,5	3,6	10
7210.30.99	Other	kg	5	7.5	0	*	5	0	MY, TH	5		0	*	0	5	5	0,8	0,8	*	2,2	1,8	10

	- Otherwise plated or coated with zinc:																				
7210.41	Corrugated:																				
	Containing by weight less than 0.6% of carbon:																				
7210.41.11	Of a thickness not exceeding 1.2 mm	kg	15	22.5	0	*	22	15	ID, MY	32	15	*	12	5	*	8,1	8,1	2,7	4,5	3,6	10
7210.41.12	Of a thickness exceeding 1.2mm but not exceeding 1.5 mm	kg	10	15	0	*	*	0	ID, MY	32	10	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7210.41.19	Other	kg	10	15	0	10	*	0	ID, MY	8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10
	Other:																				
7210.41.91	Of a thickness not exceeding 1.2mm	kg	15	22.5	0	*	22	15	ID, MY	32	15	*	12	*	*	8,1	8,1	1,4	6,8	5,4	10
7210.41.99	Other	kg	10	15	0	10	*	0	ID, MY	8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7210.49	Other																				
	Containing by weight less than 0.6% of carbon																				
7210.49.11	Coated with zinc by the iron-zinc alloyed coating method, containing by weitght less than 0.04% of carbon and of a thickness not exceeding 1.2 mm	kg	0	5	0	0	0	15	ID, MY	32	0	0	0	5	*	0	0	0	0	0	10
7210.49.14	Plated or coated with zinc-aluminium-magnesium alloys, of a thickness not exceeding 1.2mm	kg	15	22.5	0	*	5	15	ID, MY	32	15	*	0	19	*	8,1	8,1	1,4	6,8	5,4	10
7210.49.15	Plated or coated with zinc-aluminium-magnesium alloys, of a thickness exceeding 1.2mm but not exceeding 1.5mm	kg	10	15	0	*	5	15	ID, MY	32	10	0	0	5	*	5,4	5,4	0.9	4,5	3,6	10
7210.49.16	Plated or coated with zinc-aluminium-magnesium alloys, of a thickness exceeding 1.5mm	kg	10	15	0	10	5	0	ID, MY	8	8	0	0	5	*	5,4	5,4	0.9	4,5	3,6	10
7210.49.17	Other, of a thickness not exceeding 1.2mm	kg	15	22.5	0	*	5	15	ID, MY	32	15	*	0	19	*	8,1	8,1	1,4	6,8	5,4	10
7210.49.18	Other, of a thickness exceeding 1.2mm but not exceeding 1.5mm	kg	10	15	0	*	5	15	ID, MY	32	10	0	0	5	*	5,4	5,4	0.9	4,5	3,6	10

7210.49.19	Other	kg	10	15	0	10	5	0	ID, MY	8	8	0	0	5	*	5,4	5,4	0.9	4,5	3,6	10
	Other																				
7210.49.91	Of a thickness not exceeding 1.2 mm	kg	15	22.5	0	*	5	15	ID, MY	32	15	*	0	32	*	8,1	8,1	1,4	6,8	5,4	10
7210.49.99	Other	kg	10	15	0	10	5	0	ID, MY	8	8	0	0	5	*	5,4	5,4	0.9	4,5	3,6	10
7210.50.00	Plated or coated with chromium oxides or with chromiun and chromium oxides	kg	5	7.5	0	*	*	0	ID, TH	0	0	*	*	5	*	0,8	0,8	0	2,2	1,8	10
	- Plated or coated with aluminium																				
7210.61	Plated or coated with alumninium- zinc alloys																				
	Containing by weight less than 0.6% of carbon																				
7210.61.11	Of a thickness not exceeding 1.2 mm	kg	15	22.5	0	*	5	15	ID, MY	32	15	*	*	32	*	8,1	8,1	*	6,8	5,4	10
7210.61.12	Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	kg	10	15	0	10	5	0	ID, MY	8	8	0	0	5	*	5,4	5,4	*	4,5	3,6	10
7210.61.19	Other	kg	10	15	0	10	5	0	ID, MY	8	8	0	0	5	*	5,4	5,4	*	4,5	3,6	10
	Other																				
7210.61.91	Of a thickness not exceeding 1.2 mm	kg	15	22.5	0	*	5	15	ID, MY	32	15	*	*	32	*	8,1	8,1	*	6,8	5,4	10
7210.61.92	Other, corrugated	kg	10	15	0	10	5	0	ID, MY	8	8	0	0	5	*	5,4	5,4	*	4,5	3,6	10
7210.61.99	Other	kg	10	15	0	10	5	0	ID, MY	8	8	0	0	5	*	5,4	5,4	*	4,5	3,6	10
7210.69	Other																				
	Containing by weight less than 0.6% of carbon																				
7210.69.11	Of a thickness not exceeding 1.2mm	kg	15	22.5	0	*	22	15	ID	5	5	*	0	*	*	8,1	8,1	0	6,8	5,4	10
7210.69.19	Other	kg	10	15	0	*	5	0	ID	5	5	*	0	5	*	5,4	5,4	0	4,5	3,6	10
	Other:																				
7210.69.91	Of a thickness not exceeding 1.2mm	kg	15	22.5	0	*	22	15	ID	5	5	*	0	*	*	8,1	8,1	0	6,8	5,4	10
7210.69.99	Other	kg	10	15	0	*	5	0	ID	5	5	*	0	5	*	5,4	5,4	0	4,5	3,6	10

	1				1			1		1											
7210.70	- Painted, varnished or coated with plastics								 												
	Containing by weight less than 0.6% of carbon and of a thickness of 1.5 mm or less																				
7210.70.12	Painted after coating with zinc																				
7210.70.12.10	Of a kind for the manufacture of parts for products of headings 8415, 8418 and 8450	kg	5	7.5	0	0	1	0	0		0	0	0	5	*	0,8	0,8	0	2,2	1,8	10
7210.70.12.90	Other	kg	5	7.5	0	0	1	0	0		0	0	0	5	*	0,8	0,8	0	0	0	10
7210.70.13	Painted after coating with aluminium-zinc alloys																				
7210.70.13.10	Of a kind for the manufacture of parts for products of headings 8415, 8418 and 8450	kg	5	7.5	0	0	1	0	0		0	0	0	5	*	0,8	0,8	0	2,2	1,8	10
7210.70.13.90	Other	kg	5	7.5	0	0	1	0	0		0	0	0	5	*	0,8	0,8	0	0	0	10
7210.70.19	Other				0	0	1	0	0												
7210.70.19.10	Of a kind for the manufacture of parts for products of headings 8415, 8418 and 8450	kg	5	7.5	0	0	1	0	0		0	0	0	5	*	0,8	0,8	0	2,2	1,8	10
7210.70.19.90	Other	kg	5	7.5	0	0	1	0	0		0	0	0	5	*	0,8	0,8	0	0	0	10
	Other, containing by weight less than 0.6% of carbon:																				
7210.70.21	Painted	kg	5	7.5	0	0	0	0	0	ID, MM, PH	0	0	0	5	*	0	0	0	0	0	10
7210.70.29	Other	kg	5	7.5	0	0	0	0	0	ID, MM, PH	0	0	0	5	*	0	0	0	0	0	10
	Other:																				
7210.70.91	Painted	kg	5	7.5	0	0	0	0	0	ID, MM, PH	0	0	0	5	*	0	0	0	0	0	10
7210.70.99	Other	kg	5	7.5	0	0	0	0	0	ID, MM,	0	0	0	5	*	0	0	0	0	0	10

											PH											
7210.90	- Other																					
7210.90.10	Containing by weight less than 0.6% of carbon and of a thickness of 1.5mm or less	kg	5	7.5	0	0	0	0	MY	0	ID	0	0	0	5	*	0,8	0,8	0	0	0	10
7210.90.90	Other	kg	5	7.5	0	0	0	0	MY	0	ID	0	0	0	5	*	0,8	0,8	0	0	0	10
72.11	- Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated																					
	- Not further worked than hot-rolled																					
7211.13	Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief:																					
	Containing by weight less than 0.6% of carbon:																					
7211.13.12	Corrugated	kg	0	5	0	0	0	0	ID, MY, PH	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7211.13.13	Hoop and strip	kg	0	5	0	0	0	0	ID, MY, PH	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7211.13.14	Universal plates	kg	0	5	0	0	0	0		0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7211.13.19	Other	kg	0	5	0	0	0	0	ID, MY, PH, TH	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
	Other:								ID, MY, PH, TH													
7211.13.92	Hoop and strip	kg	0	5	0	0	0	0		0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7211.13.93	Universal plates	kg	0	5	0	0	0	0	MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7211.13.99	Other	kg	0	5	0	0	0	0	MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7211.14	Other, of a thickness of																					

	4.75mm or more																					
	Containing by weight less than 0.6% of carbon:																					
7211.14.14	Corrugated	kg	0	5	0	0	0	0	MY, TH	5		0	0	0	3	*	0	0	0	0	0	10
7211.14.15	Coils for re-rolling	kg	0	5	0	0	0	0	MY, TH	5		0	0	0	3	*	0	0	0	0	0	10
7211.14.16	Hoop and strip	kg	0	5	0	0	0	0	MY, TH	5		0	0	0	3	*	0	0	0	0	0	10
7211.14.17	Universal plates	kg	0	5	0	0	0	0		5		0	0	0	3	*	0	0	0	0	0	10
7211.14.19	Other	kg	0	5	0	0	0	0	MY, TH	5		0	0	0	3	*	0	0	0	0	0	10
	Other:								MY, TH													
7211.14.94	Hoop and strip	kg	0	5	0	0	0	0		5		0	0	0	3	*	0	0	0	0	0	10
7211.14.95	Universal plates	kg	0	5	0	0	0	0		5		0	0	0	3	*	0	0	0	0	0	10
7211.14.99	Other	kg	0	5	0	0	0	0		5		0	0	0	3	*	0	0	0	0	0	10
7211.19	Other:								ID, MY													
	Containing by weight less than 0.6% of carbon:								ID, MY													
7211.19.13	Hoop and strip; universal plates	kg	10	15	0	0	0	0	ID, MY	5		0	0	0	3	*	0	0	0	0	0	10
7211.19.14	Corrugated	kg	7	10.5	0	2	0	0		5		3	0	0	3	*	0,8	0,8	0	2,2	1,8	10
7211.19.19	Other	kg	0	5	0	0	0	0	ID, MY	5		0	0	0	3	*	0	0	0	0	0	10
	Other:								ID, MY													
7211.19.91	Hoop and strip; universal plates	kg	10	15	0	0	0	0		5		0	0	0	3	*	0	0	0	0	0	10
7211.19.99	Other	kg	0	5	0	0	0	0		5		0	0	0	3	*	0	0	0	0	0	10
	- Not further worked than cold-rolled (cold- reduced)								ID, MY													
7211.23	Containing by weight less than 0.25% of carbon								ID, MY													
7211.23.10	Corrugated	kg	7	10.5	0	2	14	0	ID, MY	0	ID, MM, PH	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.23.20	Hoop and strip, of a width not exceeding 400 mm	kg	7	10.5	0	3	14	0	ID, MY	0	ID, MM, PH	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.23.30	Other, of a thickness of 0.17 mm or less	kg	7	10.5	0	2	14	0	ID, MY	0	ID, MM,	0	0	0	0	*	0,8	0,8	0	0	0	10

											PH											
7211.23.90	Other	kg	7	10.5	0	3	14	0	ID, MY	0	ID, MM, PH	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.29	Other:								ID, MY													
7211.29.10	Corrugated	kg	7	10.5	0	2	14	0		0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.29.20	Hoop and strip, of a width not exceeding 400 mm	kg	7	10.5	0	3	14	0	ID, MY	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.29.30	Other, of a thickness of 0.17 mm or less	kg	7	10.5	0	2	14	0	ID, MY	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.29.90	Other	kg	7	10.5	0	3	14	0	ID, TH	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.90	- Other:																					
	Containing by weight less than 0.6% of carbon:																					
7211.90.11	Hoop and strip, of a width not exceeding 25 mm	kg	7	10.5	0	3	5	0		0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.90.12	Hoop and strip, of a width exceeding 400 mm	kg	7	10.5	0	2	5	0	ID, MY	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.90.13	Corrugated	kg	7	10.5	0	2	5	0	ID, MY	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.90.14	Other, of a thickness of 0.17 mm or less	kg	7	10.5	0	2	5	0	ID, MY	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.90.19	Other	kg	7	10.5	0	3	5	0		0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
	Other:								ID, MY													
7211.90.91	Of a thickness of 0.17 mm or less	kg	7	10.5	0	2	5	0	ID, MY	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
7211.90.99	Other	kg	7	10.5	0	3	5	0	ID, MY	0	ID, MM	0	0	0	0	*	0,8	0,8	0	0	0	10
72.12	Flat-rolled products of iron or non-alloy steel, of a																					

	width of less than 600 mm, clad, plated or coated																					
7212.10	- Plated or coated with tin								ID													
	Containing by weight less than 0.6% of carbon:								ID													
7212.10.11	Hoop and strip, of a width not exceeding 25 mm	kg	7	10.5	0	2	2	0		0	ID, MM	0	0	0	3	*	0,8	0,8	*	0	0	10
7212.10.14	Hoop and strip, of a width exceeding 400 mm	kg	7	10.5	0	2	2	0	ID	0	ID, MM	0	0	0	3	*	0,8	0,8	*	0	0	10
7212.10.19	Other	kg	7	10.5	0	2	2	0	ID	0	ID, MM	0	0	0	3	*	0,8	0,8	*	0	0	10
	Other :																					
7212.10.94	Hoop and strip, of a width not exceeding 400 mm	kg	7	10.5	0	2	2	0		0	ID, MM	0	0	0	3	*	0,8	0,8	*	0	0	10
7212.10.99	Other	kg	7	10.5	0	3	2	0		0	ID, MM	0	0	0	3	*	0,8	0,8	*	0	0	10
7212.20	- Electrolytically plated or coated with zinc:																					
7212.20.10	Hoop and strip, of a width not exceeding 400 mm	kg	7	10.5	0	3	14	0		0	ID, MM	0	0	0	5	*	0,8	0,8	*	2,2	1,8	10
7212.20.20	Other, containing by weight less than 0.6% of carbon and of a thickness of 1.5 mm or less	kg	7	10.5	0	3	14	0		0	ID, MM	0	0	0	5	*	0,8	0,8	*	2,2	1,8	10
7212.20.90	Other	kg	7	10.5	0	3	14	0		0	ID, MM	0	0	0	5	*	0,8	0,8	*	2,2	1,8	10
7212.30	- Otherwise plated or coated with zinc:																					
	Containing by weight less than 0.6% of carbon:																					
7212.30.11	Hoop and strip, of a width not exceeding 25 mm	kg	0	5	0	4	5	0		0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10
7212.30.12	Hoop and strip, of a width exceeding 25 mm and not exceeding 400 mm	kg	0	5	0	4	5	0		0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10
7212.30.13	Other, of a thickness of 1.5 mm or less	kg	10	15	0	4	5	0		0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10
7212.30.14	Other, coated with zinc by the iron-zinc alloy coating	kg	0	5	0	0	0	0	MY	0	ID,	0	0	0	5	*	0	0	0	0	0	10

	method, containing by weight less than 0.04% of carbon										MM											
7212.30.19	Other	kg	10	15	0	4	5	0	MY	0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10
7212.30.90	Other	kg	10	15	0	4	5	0	ID,MY,PH	0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10
7212.40	- Painted, varnished or coated with plastics:								ID,MY,PH													
	Containing by weight less than 0.6% of carbon:																					
7212.40.11	Hoop and strip, of a width not exceeding 400 mm	kg	10	15	0	0	14	0	ID, MY,PH,TH	0	ММ	0	0	0	5	*	0,8	0,8	*	0	0	10
7212.40.12	Other hoop and strip	kg	10	15	0	3	14	0	ID, MY,PH,TH	0	ID, MM	0	0	0	5	*	0,8	0,8	*	0	0	10
7212.40.13	Other,painted after coating with zinc	kg	10	15	0	3	14	0		0	ID, MM	0	0	0	5	*	0,8	0,8	*	0	0	10
7212.40.14	Other,painted after coating with aluminium-zinc alloys	kg	10	15	0	3	14	0	MY	0	ID, MM	0	0	0	5	*	0,8	0,8	*	0	0	10
7212.40.19	Other	kg	10	15	0	3	14	0	MY	0	ID,MM	0	0	0	5	*	0,8	0,8	*	0	0	10
	Other:																					
7212.40.91	Hoop and strip, of a width not exceeding 400 mm	kg	10	15	0	0	14	0		0	MM	0	0	0	5	*	0,8	0,8	*	0	0	10
7212.40.99	Other	kg	10	15	0	3	14	0	MY,TH	0	ID,MM	0	0	0	5	*	0,8	0,8	*	0	0	10
7212.50	- Otherwise plated or coated :								MY,TH													
	Plated or coated with chromium oxides or with chromium and chromium oxides:								MY,TH													
7212.50.14	Hoop and strip, of a width not exceeding 25 mm;universal plates	kg	0	5	0	0	0	0		0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7212.50.19	Other	kg	0	5	0	0	0	0	MY,TH	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
	Plated or coated with aluminium-zinc alloys								MY,TH													
7212.50.23	Hoop and strip, of a width not exceeding 25 mm	kg	10	15	0	4	5	0		0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10

7212.50.24	Other hoop and strip, universal plates	kg	10	15	0	4	5	0		0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10
7212.50.29	Other	kg	10	15	0	4	5	0		0	ID, MM	0	0	0	5	*	5,4	5,4	*	0	0	10
	Other:								ID,MY													
7212.50.93	Hoop and strip, of a width not exceeding 25 mm	kg	0	5	0	0	0	0	ID,MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7212.50.94	Other hoop and strip, universal plates	kg	0	5	0	0	0	0	ID,MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7212.50.99	Other	kg	0	5	0	0	0	0		0	ID, MM	0	0	0	3	*	0	0	0	0	0	10
7212.60	- Clad:								ID,MY													
	Containing by weight less than 0.6% of carbon:								ID,MY													
7212.60.11	Hoop and strip	kg	0	5	0	0	0	0		0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7212.60.12	Other, of a thickness of 1.5 mm or less	kg	0	5	0	0	0	0		0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7212.60.19	Other	kg	0	5	0	0	0	0	ID,MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
	Other:								ID,MY													
7212.60.91	Hoop and strip	kg	0	5	0	0	0	0	ID,MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7212.60.99	Other	kg	0	5	0	0	0	0	ID,MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
72.13	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel																					
7213.10	- Containing indentations, ribs, grooves or other deformations produced during the rolling process:																					
7213.10.10	Of circular cross-section measuring not exceeding 50 mm in diameter																					

7213.10.10.10	Of circular cross-section measuring not exceeding 8 mm in diameter	kg	10	15	0	*	*	15	KM, LA, MY, TH	32		15	0	0	5	*	8,1	8,1	1,4	6,8	5,4	10
7213.10.10.90	Other	kg	10	15	0	*	*	15	KM, LA, MY, TH	32		0	0	0	5	*	8,1	8,1	1,4	6,8	5,4	10
7213.10.90	Other	kg	10	15	0	*	*	15	KH, LA, MY, TH	32		0	0	0	5	*	8,1	8,1	1,4	6,8	5,4	10
7213.20.00	- Other, of free-cutting steel	kg	0	5	0	0	0	0	MY, TH	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
	- Other:																					
7213.91	Of circular cross-section measuring less than 14 mm in diameter																					
7213.91.10	Of a kind used for producing soldering sticks	kg	10	15	0	7	14	0	KH, MY, TH	5		0	0	0	5	*	1,8	1,8	0	2,2	1,8	10
7213.91.20	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	5	50	KH, MY, TH	32		10	0	0	5	*	8,1	8,1	1,4	6,8	5,4	10
7213.91.30	Other,containing by weight 0.6% or more of carbon,not more than 0.03% of phosphorus and not more than 0.035% of sulphur	kg	10	15	0	1	5	0	KH, MY, TH	0	ID	0	0	0	5	*	0	0	0	0	0	10
7213.91.90	Other	kg	10	15	0	1	5	0	KH, MY, TH	0	ID	0	0	0	5	*	0	0	0	0	0	10
7213.99	Other																					
7213.99.10	Of a kind used for producing soldering sticks	kg	10	15	0	2	14	0	MY, TH	5		5	0	0	5	*	0,8	0,8	0	2,2	1,8	10
7213.99.20	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	5	50	MY, TH	32		10	0	0	5	*	8,1	8,1	1,4	6,8	5,4	10
7213.99.90	Other	kg	10	15	0	*	5	15	MY, TH	0	ID, MM, MY	0	0	0	5	*	0	0	0	0	0	10
72.14	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but																					

	including those twisted after rolling																				
7214.10	- Forged:																				
	Containing by weight less than 0.6% of carbon																				
7214.10.11	Of circular cross-section	kg	0	5	0	0	5	0	MY, TH	32	0	0	0	*	*	0	0	0	0	0	10
7214.10.19	Other:	kg	0	5	0	0	5	0	MY, TH	32	0	0	0	*	*	0	0	0	0	0	10
	Other:																				
7214.10.21	Of circular cross-section	kg	0	5	0	0	5	0	MY, TH	32	0	0	0	*	*	0	0	0	0	0	10
7214.10.29	Other	kg	0	5	0	0	5	0	MY, TH	32	0	0	0	*	*	0	0	0	0	0	10
7214.20	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:																				
	Containing by weight less than 0.6% of carbon																				
	Of circular cross-section																				
7214.20.31	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	5	15	KH, MY, TH	32	15	0	0	*	*	8,1	8,1	1,4	6,8	5,4	10
7214.20.39	Other	kg	10	15	0	0	5	15	KH, MY, TH	32	0	0	0	*	*	0	0	0	0	0	10
	Other																				
7214.20.41	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	5	15	KH, MY, TH	32	15	0	0	*	*	8,1	8,1	1,4	6,8	5,4	10
7214.20.49	Other	kg	10	15	0	0	5	15	KH, MY, TH	32	0	0	0	*	*	0	0	0	0	0	10
	Other																				
	Of circular cross – section																				
7214.20.51	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	5	15	KH, MY, TH	32	15	0	0	*	*	8,1	8,1	1,4	6,8	5,4	10
7214.20.59	Other	kg	10	15	0	0	5	15	KH, MY, TH	32	0	0	0	*	*	0	0	0	0	0	10

	Other																					
7214.20.61	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	5	15	KH, MY, TH	32		15	0	0	*	*	8,1	8,1	1,4	6,8	5,4	10
7214.20.69	Other	kg	10	15	0	0	*	15	KH, MY, TH	32		0	0	0	0	*	0	0	0	0	0	10
7214.30	- Other, of free-cutting steel:																					
7214.30.10	Of circular cross section	kg	0	5	0	0	0	0	MY	0		0	0	0	0	*	0	0	0	0	0	10
7214.30.90	Other	kg	0	5	0	0	0	0	MY	0		0	0	0	0	*	0	0	0	0	0	10
	- Other:																					
7214.91	Of rectangular (other than square) cross-section:																					
	Containing by weight less than 0.6% of carbon:																					
7214.91.11	Containing by weight 0.38% or more of carbon and less than 1.15% of manganese	kg	0	5	0	0	5	0		0	ID, MM	0	0	0	*	*	0	0	0	0	0	10
7214.91.12	Containing by weight 0.17% or more but not more than 0.46% of carbon and 1.2% or more but less than 1.65% of manganese	kg	0	5	0	0	5	0		0	ID, MM	0	0	0	*	*	0	0	0	0	0	10
7214.91.19	Other	kg	0	5	0	0	5	0		0	ID, MM	0	0	0	*	*	0	0	0	0	0	10
7214.91.20	Containing by weight 0.6% or more of carbon	kg	0	5	0	0	5	0		0	ID, MM	0	0	0	*	*	0	0	0	0	0	10
7214.99	Other																					
	Containing by weight 0.6% or more of carbon, other than of circular crosssection:																					
7214.99.11	Containing by weight less than 1.15% of manganese	kg	0	5	0	0	5	0	MY	5		0	0	0	*	*	0	0	0	0	0	10
7214.99.19	Other	kg	0	5	0	0	5	0	MY	5		0	0	0	*	*	0	0	0	0	0	10
	Other:																					
7214.99.91	Containing by weight less than 0.38% of carbon,	kg	0	5	0	0	5	0	MY	5		0	0	0	*	*	0	0	0	0	0	10

											I											
	not more than 0.05% of phosphorus and not more than 0.05% of sulphur																					
7214.99.92	Containing by weight 0.38% or more of carbon and less than 1.15% of manganese	kg	0	5	0	0	5	0	MY	5		0	0	0	*	*	0	0	0	0	0	10
7214.99.93	Containing by weight 0.17% or more but less than 0.46% of carbon and 1.2% or more but less than 1.65% of manganese	kg	0	5	0	0	5	0	MY	5		0	0	0	*	*	0	0	0	0	0	10
7214.99.99	Other	kg	0	5	0	0	5	0	MY	5		0	0	0	*	*	0	0	0	0	0	10
72.15	Other bars and rods of iron or non-alloy steel																					
7215.10	- Of free-cutting steel, not further worked than cold- formed or cold-finished:																					
7215.10.10	Of circular cross-section	kg	0	5	0	0	0	0	MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7215.10.90	Other	kg	0	5	0	0	0	0	MY	0	ID, MM	0	0	0	0	*	0	0	0	0	0	10
7215.50	- Other, not further worked than cold-formed or cold-finished:																					
7215.50.10	Containing by weight 0.6% or more of carbon, other than of circular cross- section	kg	0	5	0	0	5	0		50		0	0	0	*	*	0	0	0	0	0	10
	Other																					
7215.50.91	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	12	0		50		15	0	0	*	*	8,1	8,1	0	6,8	5,4	10
7215.50.99	Other	kg	0	5	0	0	5	0		50		0	0	0	*	*	0	0	0	0	0	10
7215.90	- Other:																					
7215.90.10	Of a kind used for concrete reinforcement (rebars)	kg	15	22.5	0	*	12	0	MY	32		15	0	0	*	*	8,1	8,1	*	6,8	5,4	10
	Other :																					

7215.90.91	Of circular cross - section	kg	0	5	0	0	*	0	MY	32		0	0	0	*	*	0	0	0	0	0	10
7215.90.99	Other	kg	0	5	0	0	*	0	MY	32		0	0	0	*	*	0	0	0	0	0	10
72.16	Angles, shapes and sections of iron or non-alloy steel																					
7216.10.00	- U, I or H sections, not further worked than hot- rolled, hot-drawn or extruded, of a height of less than 80 mm	kg	15	22.5	0	*	30	15		32		10	0	0	*	*	5,4	5,4	0,9	4,5	3,6	10
	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:																					
7216.21	L sections																					
7216.21.10	Containing by weight less than 0.6% of carbon	kg	15	22.5	0	*	30	15		32		10	0	0	*	*	5,4	5,4	0,9	4,5	3,6	10
7216.21.90	Other	kg	15	22.5	0	*	30	15		32		10	0	0	*	*	5,4	5,4	0,9	4,5	3,6	10
7216.22.00	T sections	kg	15	22.5	0	4	14	0		0	ID	0	0	0	5	*	6,3	6,3	0	4,5	3,6	10
	- U, I or H sections, not further worked than hot- rolled, hot-drawn or extruded, of a height of 80 mm or more:																					
7216.31	U sections:																					ĺ
7216.31.10	Containing by weight 0.6% or more of carbon	kg	15	22.5	0	*	5	15	TH	32		10	0	0	5	*	5,4	5,4	0,9	4,5	3,6	10
7216.31.90	Other	kg	15	22.5	0	*	5	15	TH	32		10	0	0	5	*	5,4	5,4	0,9	4,5	3,6	10
7216.32	I sections:																					
7216.32.10	Of a thickness of 5 mm or less	kg	15	22.5	0	*	5	15	TH	32		10	0	0	5	*	5,4	5,4	0,9	4,5	3,6	10
7216.32.90	Other	kg	15	22.5	0	*	5	15	TH	32		10	0	0	5	*	5,4	5,4	0,9	4,5	3,6	10
7216.33	H sections:																					
	Containing by weight 0.6% or more of carbon																					
7216.33.11	Thickness of flange not less a thickness of web	kg	10	15	0	*	5	0	TH	32		10	0	0	5	*	5,4	5,4	0	4,5	3,6	10

7216.33.19	Other	kg	10	15	0	*	5	0	TH	32	10	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7216.33.90	Other	kg	10	15	0	*	5	0	TH	32	10	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7216.40	- L or T sections, not further worked than hot- rolled, hot- drawn or extruded, of a height of 80 mm or more:																				
7216.40.10	Containing by weight 0.6% or more of carbon	kg	15	22.5	0	*	5	15	TH	32	10	0	0	5	*	5,4	5,4	0,9	4,5	3,6	10
7216.40.90	Other	kg	15	22.5	0	*	5	15	TH	32	10	0	0	5	*	5,4	5,4	0,9	4,5	3,6	10
7216.50	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:																				
	Of a height of less than 80 mm:																				
7216.50.11	Containing by weight 0.6% or more of carbon	kg	15	22.5	0	15	5	0		8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7216.50.19	Other	kg	15	22.5	0	15	5	0		8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10
	Other:																				
7216.50.91	Containing by weight 0.6% or more of carbon	kg	15	22.5	0	15	5	0		8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7216.50.99	Other	kg	15	22.5	0	15	5	0		8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10
	- Angles, shapes and sections, not further worked than cold-formed or cold – finished:																				
7216.61.00	Obtained from flat-rolled products	kg	15	22.5	0	*	5	0	TH	8	8	*	*	5	*	5,4	5,4	0	4,5	3,6	10
7216.69.00	Other	kg	15	22.5	0	15	5	0	TH	8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10
	- Other																				
7216.91	Cold-formed or cold- finished from flat-rolled products:																				
7216.91.10	Angles, other than slotted angles, containing by weight 0.6% or more of carbon	kg	15	22.5	0	*	5	0	ТН	8	8	*	*	5	*	5,4	5,4	0	4,5	3,6	10
7216.91.90	Other	kg	15	22.5	0	*	5	0	TH	8	 8	*	*	5	*	5,4	5,4	0	4,5	3,6	10
7216.99.00	Other	kg	15	22.5	0	12	5	0	TH	8	8	0	0	5	*	5,4	5,4	0	4,5	3,6	10

72.17	Wire of iron or non-alloy steel																					
7217.10	- Not plated or coated, whether or not polished:																					
7217.10.10	Containing by weight less than 0.25% of carbon	kg	15	22.5	0	15	5	0	KH, ID, TH	24		15	0	0	5	*	8,1	8,1	0	6,8	5,4	10
	Containing by weight 0.25% or more but less than 0.6% of carbon:																					
7217.10.22	Reed wire; wire of a kind used for making strands for prestressing concrete; free cutting steel wire	kg	0	5	0	0	5	0	KH, ID, TH	0	ID, MM, PH	0	0	0	5	*	0	0	0	0	0	10
7217.10.29	Other	kg	10	15	0	4	8	0	KH, ID, TH	0	ID, MM, PH	0	0	0	5	*	5,4	5,4	0	4,5	3,6	10
	Containing by weight 0.6% or more of carbon:																					
7217.10.32	Spokes wire; bead wire; reed wire; free cutting steel wire	kg	0	5	0	0	5	0	KH, ID, TH	0	ID, MM, PH	0	0	0	5	*	0	0	0	0	0	10
7217.10.33	Wire of a kind used for making strands for prestressing concrete	kg	0	5	0	0	5	0	KH, ID, TH	0	ID, MM, PH	0	0	0	5	*	0	0	0	0	0	10
7217.10.39	Other	kg	3	4.5	0	1	5	0	KH, ID, TH	0	ID, MM, PH	0	0	0	5	*	0,8	0,8	0	2,2	1,8	10
7217.20	- Plated or coated with zinc;																					
7217.20.10	- Containing by weight less than 0.25% of carbon	kg	15	22.5	0	15	5	0	ID, TH	24		10	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7217.20.20	Containing by weight 0.25% or more but less than 0.45% of carbon	kg	5	7.5	0	2	5	0	ID, TH	0	ID, MM	0	0	0	5	*	0,8	0,8	*	2,2	1,8	10
	Containing by weight 0.45% or more of carbon																					
7217.20.91	Steel core wire of a kind used for steel reinforced aluminium conductors (ACSR)	kg	0	5	0	0	0	0	ID, TH	0	ID, MM	0	0	0	5	*	0	0	0	0	0	10

7217.20.99	Other	kg	5	7.5	0	2	5	0	ID, TH	0	ID,	0	0	0	5	*	0,8	0,8	*	2,2	1,8	10
7217.30	- Plated or coated with other base metals:								,		MM						-,-	-,-		,	, -	
	Containing by weight less than 0.25% of carbon																					
7217.30.11	Plated or coated with tin	kg	10	15	0	10	5	0	ID	5		5	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7217.30.19	Other	kg	15	22.5	0	15	5	0	ID	5		5	0	0	5	*	5,4	5,4	0	4,5	3,6	10
7217.30.20	Containing by weight 0.25% or more of carbon but less than 0.6% of carbon	kg	5	7.5	0	2	0	0	ID	0	ID, MM, MY, PH	0	0	0	5	*	0,8	0,8	0	0	0	10
	Containing by weight 0.6% or more of carbon:																					
7217.30.33	Brass coated steel wire of a kind used in the manufacture of pneumatic rubber tyres	kg	5	7.5	0	2	0	0	ID	0	ID, MM, MY	0	0	0	5	*	0	0	0	0	0	10
7217.30.34	Other cooper alloy coated steel wire of a kind used in the manufacture of pneumatic rubber tyres	kg	5	7.5	0	2	0	0	ID	0	ID, MM, MY	0	0	0	5	*	0	0	0	0	0	10
7217.30.35	Other, plated or coated with tin	kg	5	7.5	0	2	5	0	ID	0	ID, MM, MY, PH	0	0	0	5	*	0,8	0,8	0	2,2	1,8	10
7217.30.39	Other	kg	5	7.5	0	2	5	0	ID	0	ID, MM, MY, PH	0	0	0	5	*	0,8	0,8	0	2,2	1,8	10
7217.90	- Other:																					
7217.90.10	Containing by weight less than 0.25% of carbon	kg	10	15	0	4	5	0	ID	0	ID, MM, PH	0	0	0	5	*	5,4	5,4	*	4,5	3,6	10
7217.90.90	Other	kg	5	7.5	0	2	5	0	ID	0	ID, MM, PH	0	0	0	5	*	0,8	0,8	0	2,2	1,8	10
	SUB – CHAPTER III.																					
	STAINLESS STEEL																					

72.18	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel																					
7218.10.00	- Ingots and other primary forms	kg	0	5	0	0	0	0		0		0	5	0	0	*	0	0	0	0	0	10
	- Other:																					
7218.91.00	Of rectangular (other than square) cross-section	kg	0	5	0	0	0	0		0		0	5	0	0	*	0	0	0	0	0	10
7218.99.00	Other	kg	0	5	0	0	0	0	MY	0		0	5	0	0	5	0	0	0	0	0	10
72.19	Flat-rolled products of stainless steel, of a width of 600 mm or more																					
	- Not further worked than hot-rolled, in coils:																					
7219.11.00	Of a thickness exceeding 10 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7219.12.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7219.13.00	Of a thickness of 3 mm or more but less than 4.75 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7219.14.00	Of a thickness of less than 3 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
	- Not further worked than hot-rolled, not in coils:																					
7219.21.00	Of a thickness exceeding 10 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7219.22.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7219.23.00	Of a thickness of 3 mm or more but less than 4.75 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7219.24.00	Of a thickness of less than 3 mm	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
	- Not further worked than cold-rolled (cold- reduced):																					
7219.31.00	Of a thickness of 4.75 mm or more	kg	0	5	0	0	0	0	TH	0	ID	0	10	0	0	*	0	0	0	0	0	10
7219.32.00	Of a thickness of 3 mm or more but less than 4.75 mm.	kg	0	5	0	0	0	0	TH	0	ID	0	10	0	0	5	0	0	0	0	0	10

	0((1:1		1						I		ı	l		l		l	ı					l
7219.33.00	Of a thickness exceeding 1 mm but less than 3 mm	kg	10	15	0	10	0	0	TH	0		0	10	0	0	5	0,8	0,8	0	0	0	10
7219.34.00	Of a thickness of 0.5 mm or more but not exceeding 1 mm	kg	10	15	0	10	0	0	TH	0		0	10	0	0	5	0,8	0,8	0	0	0	10
7219.35.00	Of a thickness of less than 0.5 mm	kg	10	15	0	10	0	0	TH	0	ID	0	10	0	0	5	0,8	0,8	0	0	0	10
7219.90.00	- Other	kg	0	5	0	0	0	0	TH	0	ID	0	10	0	0	5	0	0	0	0	0	10
72.20	Flat-rolled products of stainless steel, of a width of less than 600 mm																					
	Not further worked than hot-rolled:																					
7220.11	Of a thickness of 4.75 mm or more																					
7220.11.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0		0		0	0	0	0	7,5	0	0	0	0	0	10
7220.11.90	Other	kg	0	5	0	0	0	0		0		0	0	0	0	7,5	0	0	0	0	0	10
7220.12	Of a thickness of less than 4.75 mm																					
7220.12.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0		0		0	0	0	0	7,5	0	0	0	0	0	10
7220.12.90	Other	kg	0	5	0	0	0	0		0		0	0	0	0	7,5	0	0	0	0	0	10
7220.20	- Not further worked than cold-rolled (cold-reduced)																					
7220.20.10	Hoop and strip, of a width not exceeding 400 mm	kg	10	15	0	4	0	0	TH	0	ID	0	0	0	0	5	0,8	0,8	0	0	0	10
7220.20.90	Other	kg	10	15	0	4	0	0	TH	0	ID	0	0	0	0	5	0,8	0,8	0	0	0	10
7220.90	- Other:																					
7220.90.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0	TH	0	ID, MY	0	0	0	0	7,5	0	0	0	0	0	10
7220.90.90	Other	kg	0	5	0	0	0	0	TH	0	ID, MY	0	0	0	0	7,5	0	0	0	0	0	10
7221.00.00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel	kg	0	5	0	0	0	0	MY	0		0	10	0	0	7,5	0	0	0	0	0	10

72.22	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel																					
	- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:																					
7222.11.00	Of circular cross-section	kg	0	5	0	0	0	0	MY	0	MY	0	10	0	0	5	0	0	0	0	0	10
7222.19.00	Other	kg	0	5	0	0	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7222.20	- Bars and rods, not further worked than cold- formed or cold-finished																					
7222.20.10	Of circular cross-section	kg	10	15	0	10	0	0	MY, TH	0		0	10	0	0	5	0	0	0	0	0	10
7222.20.90	Other	kg	10	15	0	10	0	0	MY, TH	0		0	10	0	0	5	0	0	0	0	0	10
7222.30	- Other bars and rods:																					
7222.30.10	Of circular cross-section	kg	10	15	0	10	0	0		0		0	10	0	0	5	5,4	5,4	0	0	0	10
7222.30.90	Other	kg	10	15	0	10	0	0		0		0	10	0	0	5	0	0	0	0	0	10
7222.40	- Angles, shapes and sections																					
7222.40.10	Not further worked than hot-rolled, hot-drawn or extruded	kg	0	5	0	0	0	0	ТН	0	ID	0	10	0	0	5	0	0	0	0	0	10
7222.40.90	Other	kg	0	5	0	0	0	0	TH	0	ID	0	10	0	0	5	0	0	0	0	0	10
72.23	Wire of stainless steel																					
7223.00.10	- Of cross-section exceeding 13 mm	kg	10	15	0	*	0	0	TH	0	MM, MY	0	10	0	0	5	5,4	5,4	*	0	0	10
7223.00.90	- Other	kg	10	15	0	*	0	0	ТН	0	MM, MY	0	10	0	0	5	5,4	5,4	*	4,5	3,6	10
	SUB – CHAPTER IV																					
	OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL																					

72.24	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.																				
7224.10.00	- Ingots and other primary forms:	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7224.90.00	- Other	kg	0	5	0	0	0	0	MY	0	0	10	0	0	5	0	0	0	0	0	10
72.25	Flat-rolled products of other alloy steel, of a width of 600 mm or more																				
	- Of silicon-electrical steel:																				
7225.11.00	Grain-oriented	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.19.00	Other	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.30	- Other, not further worked than hot-rolled, in coils																				
7225.30.10	Of high speed steel	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.30.90	Other	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.40	- Other, not further worked than hot-rolled, not in coils																				
7225.40.10	Of high speed steel	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.40.90	Other:	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.50	- Other, not further worked than hot-rolled, not in coils																				
7225.50.10	Of high speed steel	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.50.90	Other	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
	-Other																				
7225.91	Electrolytically plated or coated with zinc																				
7225.91.10	Of high speed steel	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.91.90	Other	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.92	Otherwised plated or coated with zinc																				
7225.92.10	Of high speed steel	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10
7225.92.20	Other,plated of coated with zinc – aluminium -	kg	0	5	0	0	0	0		0	0	10	0	0	*	0	0	0	0	0	10

	magnasium allaus		1		1					1						1					
	magnesium alloys		_		_	-	_	_	_		_		_	_	*	_	_	_	_	_	<u> </u>
7225.92.90	Other	kg	0	5	0	0	0	0	0		0	10	0	0	*	0	0	0	0	0	10
7225.99	Other																				
7225.99.10	Of high speed steel	kg	0	5	0	0	0	0	0		0	10	0	0	5	0	0	0	0	0	10
7225.99.90	Other	kg	0	5	0	0	0	0	0		0	10	0	0	5	0	0	0	0	0	10
72.26	- Flat-rolled products of other alloy steel, of a width of less than 600 mm.																				
	- Of silicon-electrical steel:																				
7226.11	Grain – oriented																				
7226.11.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.11.90	Other	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.19	Other																				
7226.19.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.19.90	Other	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.20	- Of high speed steel																				
7226.20.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.20.90	Other	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
	- Other:																				
7226.91	Not further worked than hot-rolled																				
7226.91.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.91.90	Other	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.92	Not further worked than cold-rolled (cold-reduced)																				
7226.92.10	Hoop and strip, of a width not exceeding 400 mm	kg	0	5	0	0	0	0	0		0	10	0	0	7,5	0	0	0	0	0	10
7226.92.90	Other	kg	0	5	0	0	0	0	 0		0	10	0	0	7,5	0	0	0	0	0	10
7226.99	Other																				
	Hoop and strip, of a width not exceeding 400 mm																				

7226.99.11	Plated or coated with zinc	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
7226.99.19	Other	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
	Other																				
7226.99.91	Plated or coated with zinc	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
7226.99.99	Other	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
72.27	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel																				
7227.10.00	- Of high speed steel	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
7227.20.00	- Of silico-manganese steel	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
7227.90	- Other:																				
7227.90.10	Containing by weight 0.5% or more of chromium	kg	0	5	0	*	0	0	MY	0	0	10	0	0	7,5	0	0	0	2,2	1,8	10
7227.90.90	Other	kg	0	5	0	*	0	0	MY	0	0	10	0	0	7,5	0	0	0	2,2	1,8	10
72.28	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel																				
7228.10	- Bars and rods, of high- speed steel																				
7228.10.10	Of circular cross-section	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
7228.10.90	Other	kg	0	5	0	0	0	0		0	0	10	0	0	7,5	0	0	0	0	0	10
7228.20	- Bars and rods, of silico- manganese steel																				
	Of circular cross-section																				
7228.20.11	Not further worked than hot-rolled, hot-drawn or extruded	kg	0	5	0	0	0	0	KH, MY	0	0	10	0	0	7,5	0	0	0	0	0	10
7228.20.19	Other	kg	0	5	0	0	0	0	KH, MY	0	0	10	0	0	7,5	0	0	0	0	0	10

	Other																					
7228.20.91	Not further worked than hot-rolled, hot-drawn or extruded	kg	0	5	0	0	0	0	KH, MY	0		0	10	0	0	7,5	0	0	0	0	0	10
7228.20.99	Other	kg	0	5	0	0	0	0	KH, MY	0		0	10	0	0	7,5	0	0	0	0	0	10
7228.30	- Other bars and rods, not further worked than hot- rolled, hot-drawn or extruded																					
7228.30.10	Of circular cross-section	kg	0	5	0	0	0	0	MY	0		0	10	0	0	7,5	0	0	0	0	0	10
7228.30.90	Other	kg	0	5	0	0	0	0	MY	0		0	10	0	0	7,5	0	0	0	0	0	10
7228.40	- Other bars and rods, not further worked than forged																					
7228.40.10	Of circular cross-section	kg	0	5	0	0	0	0		0		0	10	0	0	7,5	0	0	0	0	0	10
7228.40.90	Other	kg	0	5	0	0	0	0		0		0	10	0	0	7,5	0	0	0	0	0	10
7228.50	- Other bars and rods, not further worked than cold- formed or cold-finished																					
7228.50.10	Of circular cross-section	kg	0	5	0	0	0	0		0		0	10	0	0	7,5	0	0	0	0	0	10
7228.50.90	Other	kg	0	5	0	0	0	0		0		0	10	0	0	7,5	0	0	0	0	0	10
7228.60	- Other bars and rods																					
7228.60.10	Of circular cross-section	kg	0	5	0	0	0	0	MY	0		0	10	0	0	7,5	0	0	0	0	0	10
7228.60.90	Other	kg	0	5	0	0	0	0	MY	0		0	10	0	0	7,5	0	0	0	0	0	10
7228.70	- Angles, shapes and sections	-																				
7228.70.10	Not further worked than hot-rolled, hot-drawn or extruded	kg	0	5	0	0	0	0		0	ID	0	10	0	0	7,5	0	0	0	0	0	10
7228.70.90	Other	kg	0	5	0	0	0	0		0	ID	0	10	0	0	7,5	0	0	0	0	0	10
7228.80	- Hollow drill bars and rods																					
	Containing by weight 0.6% or more of carbon																					
7228.80.11	Of circular cross-section	kg	0	5	0	0	0	0		0		0	10	0	0	7,5	0	0	0	0	0	10
7228.80.19	Other	kg	0	5	0	0	0	0		0		0	10	0	0	7,5	0	0	0	0	0	10
7228.80.90	Other	kg	0	5	0	0	0	0		0		0	10	0	0	7,5	0	0	0	0	0	10

72.29	Wire of other alloy steel																				
7229.20.00	- Of silico-manganese steel	kg	0	5	0	0	0	0	MM	0	0	3	0	0	3	0	0	0	0	0	10
7229.90	- Other																				
	Of cross-section not exceeding 5.5 mm																				
7229.90.21	Containing by weight 0.5% or more of chromium	kg	0	5	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	10
7229.90.29	Other	kg	0	5	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	10
7229.90.30	Other, of high speed steel	kg	0	5	0	0	0	0		0	0	3	0	0	0	0	0	0	0	0	10
	Other:																				
7229.90.91	Containing by weight 0.5% or more of chromium	kg	0	5	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	10
7229.90.99	Other	kg	0	5	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	10